

(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 1 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(The following sample(s) was/were submitted and identified by the applicant

as)

BASIC INFORMATION			
Type of Product	HIGH POWER LED_ ALFSX		
Supplier Company Name	EVERLIGHT		
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN		
Tel / Fax / Email	TEL:886-2685-6688		
	FAX:886-2685-6699		
	E-MAIL: allenchiang@everlight.com		
Contact Person	Allen		
EVERLIGHT REPORT NO	EVERLIGHT-ALFSX SERIES		
	Sampling Product: ALFS1G-C010001H-62OCC4C51A1B-1T-AM-SGS-15-Sep-2023		
PRODUCT INFORMATION			
Product/component Sample description	DRL ,Head lamp ,Fog lamp		
Quantity (numbers or weight)	0.008 g		
EVERLIGHT P/N	ALFSX SERIES		
	Sampling Product: ALFS1G-C010001H-62OCC4C51A1B-1T-AM		
Product Lot No	T230321A0602BA7WGMP		
Country of Origin	TAIWAN		
TEST INFORMATION	•		
Sample preparation	CUTTING		
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582		
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg		
(C l - C - l !++   D )	(EVERTICAL ELECTROMICS CO. LTD.)		

(Sample Submitted By) (EVERLIGHT ELECTRONICS CO., LTD.)

\_\_\_\_\_\_

(Sample Receiving Date) : 01-Sep-2023

(Testing Period) : 01-Sep-2023 to 15-Sep-2023

(Test Results) (Please refer to following pages).







(Page): 2 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)



(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 3 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

			1.451		
	(Method)	(Unit)	MDL		(Limit)
	(Method)	(OIIII)		No.1	(=111111)
	IEC 62321-4: 2013+ AMD1: 2017 (With reference to IEC 62321-4: 2013+ AMD1: 2017, analysis	mg/kg	2	n.d.	1000
	was performed by ICP-OES.)				
	IEC 62321-7-2: 2017 - (With reference to IEC 62321-7-2: 2017, analysis was performed by UV-VIS.)	mg/kg	8	n.d.	1000
	G	mg/kg	5	n.d.	_
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	_
		mg/kg	5	n.d.	_
(Pentabromobiphenyl)		mg/kg	5	n.d.	_
, ,		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	-	n.d.	1000
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	
		mg/kg	5	n.d.	
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	5	n.d.	-
		mg/kg	-	n.d.	1000



(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 4 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result)	(Limit)
(BBP) (Butyl benzyl phthalate (BBP))	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
(DBP) (Dibutyl phthalate (DBP))	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
(2- ) (DEHP) (Di-(2- ethylhexyl) phthalate (DEHP))	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
(DIBP) (Diisobutyl phthalate (DIBP))	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	1000
(DIDP) (Diisodecyl phthalate (DIDP)) (CAS No.: 26761-40-0, 68515-49-1)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(DINP) (Diisononyl phthalate (DINP)) (CAS No.: 28553-12-0, 68515-48-0)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(DNOP) (Di-n-octyl phthalate (DNOP)) (CAS No.: 117-84-0)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(DNPP) (Di-n-pentyl phthalate (DNPP)) (CAS No.: 131-18-0)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(DNHP) (Di-n-hexyl phthalate (DNHP)) (CAS No.: 84-75-3)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(2- ) (DMEP) (Bis(2-methoxyethyl) phthalate (DMEP)) (CAS No.: 117-82-8)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(DMP) (Dimethyl phthalate (DMP)) (CAS No.: 131-11-3)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-



(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 5 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result)	(Limit)
(DIOP) (Diisooctyl phthalate (DIOP)) (CAS No.: 27554-26-3)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(DNNP) (Di-n-nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was performed by GC/MS.)	mg/kg	50	n.d.	-
(HBCDD) ( - HBCDD, - HBCDD, - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( - HBCDD, - HBCDD, - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	IEC 62321: 2008 / (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	-
(F) (Fluorine (F)) (CAS No.: 14762-94-8)		mg/kg	50	158	-
(CI) (Chlorine (CI)) (CAS No.: 22537-15-1)	BS EN 14582: 2016	mg/kg	50	n.d.	-
(Br) (Bromine (Br)) (CAS No.: 10097-32-2)	(With reference to BS EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	-
(I) (Iodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	-
(PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	-
(Be) (Beryllium (Be)) (CAS No.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.)	mg/kg	2	n.d.	-



(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 6 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) b-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Test Items)	(Method)	(Unit)	MDL	(Result)	(Limit)
(Polycyclic Aromatic Hydrocarbons) (PAHs)				INO. I	
(a) (Benzo[a]pyrene) (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	
(e) (Benzo[e]pyrene) (CAS No.: 192-97- 2)		mg/kg	0.2	n.d.	
(Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	
(b) (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	
(j) (Benzo[j]fluoranthene) (CAS No.: 205-82-3)	A fPS GS 2019:01 PAK /	mg/kg	0.2	n.d.	
(k) (Benzo[k]fluoranthene) (CAS No.: 207-08-9)		mg/kg	0.2	n.d.	
(Chrysene) (CAS No.: 218-01-9)	(With reference to AfPS GS	mg/kg	0.2	n.d.	
(Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	
(Benzo[g,h,i]perylene) (CAS No.: 191- 24-2)		mg/kg	0.2	n.d.	
(Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	
(Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	
(Fluoranthene) (CAS No.: 206-44-0)		mg/kg	0.2	n.d.	
(Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	
(Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	
(Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	
15 (Sum of 15 PAHs)		mg/kg	-	n.d.	_



(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 7 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Unless otherwise stated , the decision rule for conformity reporting is based on Binary Statement for Simple Acceptance Rule (w=0) stated in ILAC-G8:09/2019. According to this rule, the judgement of conformity is based on the comparing test results with limits.)



(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 8 of 19

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PAHs Remark

(AfPS): GSPAHs

AfPS (German commission for Product Safety): GS PAHs requirements

	1 (Category 1)	2 (Cate	egory 2)	3 (Cat	egory 3)
(Parameter)	( 30 ) 2009/48/EC 3 (Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3 years of age with intended long-term skin contact (> 30 seconds))	are not in Category	eable long-term seconds) or	covered by Catego intended or foresed term skin contact ( a. 14	30 erials not ry 1 or 2, with eable short-
Nanhthalana	< 1	children under 14) < 2		children under 14) < 10	
Naphthalene Phenanthrene	< 1	< 2	<u>:</u> 	< 10	I
Anthracene					
Fluoranthene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2			





(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 10 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Classification of Substance Concentration)	(Substance Name)	CAS No.
Perfluorooctane sulfonates and its salts (PFOS and its salts) (CAS No.: 1763-23-1 and its salts)	(PFOS-DDA) N-decyl-N,N-dimethyldecan-1-aminium 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-1-sulfonate (PFOS-DDA)	251099-16-8
	(POSF) Perfluorooctane sulfonyl fluoride (POSF)	307-35-7
	(PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	(PFOS-Na) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
Perfluorooctanoic acid and its salts	(PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
(PFOA and its salts) (CAS No.: 335-67-1 and its salts)	(PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	(PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	(PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	(APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	(PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5



(Page): 11 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)




(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 12 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)





(No.): ETR23900027


(Date): 15-Sep-2023

(Page): 13 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

/ Analytical flow chart - Phthalate

/Test method: IEC 62321-8






(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 14 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### / Analytical flow chart - HBCDD






(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 15 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

#### / Analytical flow chart - Halogen






(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 16 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( / / / ) / Analytical flow chart - PFAS (including PFOA/PFOS/its related compound, etc.)






(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 17 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
(NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)





(No.): ETR23900027

(Date): 15-Sep-2023


(Page): 18 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)
8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

( ) / Analytical flow chart of elements (Heavy metal included)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052



\* US EPA 3051A

/ US EPA 3051A method does not add HF.



(No.): ETR23900027

(Date): 15-Sep-2023

(Page): 19 of 19

(EVERLIGHT ELECTRONICS CO., LTD.)

b-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

\* / .\*

(The tested sample / part is marked by an arrow if it's shown on the photo.)



\* (End of Report) \*\*