

(Date): 13-Sep-2024

(Page): 1 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

Type of Product	SMD DISPLAY	
Supplier Company Name	EVERLIGHT	
Address	NO.6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN	
Tel / Fax / Email	TEL:886-2685-6688	
	FAX:886-2685-6699	
	E-MAIL: lindawang@everlight.com	
Contact Person	LI LING WANG	
EVERLIGHT REPORT NO	SMD DISPLAY SERIES	
	Sampling Product: SS406SURWA/S530-A4/S290-SGS-13-Sep-2024	
	<u> </u>	
Product/component Sample	PANEL DISPLAY COMPONENT	
description		
Quantity (numbers or weight)	0.7047 g	
EVERLIGHT P/N	SMD DISPLAY SERIES	
	Sampling Product: SS406SURWA/S530-A4/S290	
Product Lot No	ZS24080510	
Country of Origin	CHINA	
	•	
Sample preparation	CUTTING	
Test Method	RoHS: IEC 62321, Halogen: BS EN 14582	
MDL	Cd, Pb, Hg: 2 mg/kg, PBBs/PBDEs: 5 mg/kg, Halogen: 50 mg/kg	

(Sample Submitted By) (EVERLIGHT ELECTRONICS CO., LTD.)

(Sample Receiving Date) 03-Sep-2024

(Testing Period) 03-Sep-2024 to 13-Sep-2024

(Please refer to following pages).





PIN CODE: 69B24C60



(Date): 13-Sep-2024

(Page): 2 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(1) RoHS 2011/65/EU Annex II (EU) 2015/863 , DBP, BBP, DEHP, DIBP (As specified by client, with reference to RoHS 2011/65/EU Annex II and amending Directive (EU) 2015/863 to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP contents in the submitted sample(s).)

(As specified by client, to test PAHs and other item(s).)

(1) , DBP, BBP, DEHP, DIBP RoHS 2011/65/EU Annex II (EU) 2015/863 (Based on the performed tests on submitted sample(s), the test results of Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs, DBP, BBP, DEHP, DIBP comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.)

(2) (A fPS) GS
PA Hs 3 (Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PA Hs requirement (Category 3) O ther consumer products as set by German Committee on Product Safety (AfPS) GS PAHs.)

No.1 No.2

(WHITE PLASTIC WITH GRAY PRINTED AND GLUE) (BLACK PCB AND ALL COMPONENTS ON IT)

(Cd) (Cadmium (Cd))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	n.d.	n.d.	100
(Pb) (Lead (Pb))	IEC 62321-5: 2013 (With reference to IEC 62321-5: 2013, analysis was performed by ICP-OES.)	mg/kg	2	3.92	11.2	1000



(Date): 13-Sep-2024

(Page): 3 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	T	1		1		l
					I	1
(Hg) (Mercury (Hg))	IEC 62321-4: 2013+ AMD1:	mg/kg	2	n.d.	n.d.	1000
(19) (11)	2017		_			
	(With reference to IEC 62321-					
	4: 2013+ AMD1: 2017, analysis					
	was performed by ICP-OES.)					
Cr(VI) (Hexavalent Chromium	IEC 62321-7-2: 2017	mg/kg	8	n.d.	n.d.	1000
Cr(VI))	- (With					
	reference to IEC 62321-7-2: 2017,					
	analysis was performed by UV-					
	VIS.)					
(Monobromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Dibromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Tribromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Tetrabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Pentabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Hexabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Heptabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Octabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Nonabromobiphenyl)		mg/kg	5	n.d.	n.d.	-
(Decabromobiphenyl)	IEC 62321-6: 2015	mg/kg	5	n.d.	n.d.	-
	/ (With reference	mg/kg	-	n.d.	n.d.	1000
(Monobromodiphenyl ether)	to IEC 62321-6: 2015, analysis was	mg/kg	5	n.d.	n.d.	-
(Dibromodiphenyl ether)	performed by GC/MS.)	mg/kg	5	n.d.	n.d.	-
(Tribromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Tetrabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Pentabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Hexabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Heptabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Octabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Nonabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
(Decabromodiphenyl ether)		mg/kg	5	n.d.	n.d.	-
		mg/kg	_	n.d.	n.d.	1000



(Date): 13-Sep-2024

(Page): 4 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

		1		I		
					1	
(BBP) (Butyl		mg/kg	50	n.d.	n.d.	1000
benzyl phthalate (BBP))		ing/kg	30	TI.G.	Ti.d.	1000
(DBP) (Dibutyl		mg/kg	50	n.d.	n.d.	1000
phthalate (DBP))		1119/119	00	11.0.	11.0.	1000
(2-) (DEHP) (Di-		mg/kg	50	n.d.	n.d.	1000
(2-ethylhexyl) phthalate (DEHP))						
(DIBP) (Diisobutyl		mg/kg	50	n.d.	n.d.	1000
phthalate (DIBP))						
(DIDP) (Diisodecyl		mg/kg	50	n.d.	n.d.	-
phthalate (DIDP)) (CAS No.: 26761-						
40-0, 68515-49-1)						
(DINP)		mg/kg	50	n.d.	n.d.	-
(Diisononyl phthalate (DINP)) (CAS						
No.: 28553-12-0, 68515-48-0)	IEC 62321-8: 2017					
(DNOP) (Di-n-	/ (With reference	mg/kg	50	n.d.	n.d.	-
octyl phthalate (DNOP)) (CAS No.:	to IEC 62321-8: 2017, analysis was					
117-84-0)	performed by GC/MS.)	//	F.O.		,	
(DNPP) (Di-n-		mg/kg	50	n.d.	n.d.	-
pentyl phthalate (DNPP)) (CAS No.: 131-18-0)						
(DNHP) (Di-n-		ma/ka	50	n.d.	n.d.	
hexyl phthalate (DNHP)) (CAS No.:		mg/kg	50	H.G.	H.G.	-
84-75-3)						
(2-) (DMEP)		mg/kg	50	n.d.	n.d.	_
(Bis(2-methoxyethyl) phthalate		1119/119	00	11.0.	11.0.	
(DMEP)) (CAS No.: 117-82-8)						
(DMP) (Dimethyl		mg/kg	50	n.d.	n.d.	-
phthalate (DMP)) (CAS No.: 131-11-3)						
(DIOP) (Diisooctyl		mg/kg	50	n.d.	n.d.	-
phthalate (DIOP)) (CAS No.: 27554-						
26-3)						



(Date): 13-Sep-2024

(Page): 5 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(DNNP) (Di-n- nonyl phthalate (DNNP)) (CAS No.: 84-76-4)	IEC 62321-8: 2017 / (With reference to IEC 62321-8: 2017, analysis was	mg/kg	50	n.d.	n.d.	-
(HBCDD) (- HBCDD, - HBCDD, - HBCDD) (Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified (- HBCDD, - HBCDD, - HBCDD)) (CAS No.: 25637-99-4, 3194-55-6 (134237-51-7, 134237-50-	performed by GC/MS.) IEC 62321: 2008 / (With reference to IEC 62321: 2008, analysis was performed by GC/MS.)	mg/kg	5	n.d.	n.d.	-
6, 134237-52-8)) (F) (Fluorine (F)) (CAS No.: 14762- 94-8)		mg/kg	50	643	1930	-
(CI) (Chlorine (CI)) (CAS No.: 22537- 15-1)	BS EN 14582: 2016 (With reference to BS	mg/kg	50	57.5	154	-
(Br) (Bromine (Br)) (CAS No.: 10097-32-2)	EN 14582: 2016, analysis was performed by IC.)	mg/kg	50	n.d.	n.d.	-
(I) (lodine (I)) (CAS No.: 14362-44-8)		mg/kg	50	n.d.	n.d.	-
(PFOS and its salts) (Perfluorooctane sulfonates and its salts (PFOS and its salts)) (CAS No.: 1763-23-1 and its salts)	CEN /TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	n.d.	-
(PFOA and its salts) (Perfluorooctanoic acid and its salts (PFOA and its salts)) (CAS No.: 335- 67-1 and its salts)	CEN/TS 15968: 2010 (With reference to CEN/TS 15968: 2010, analysis was performed by LC/MS/MS.)	mg/kg	0.01	n.d.	n.d.	-



(Page): 6 of 22

6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



(Date): 13-Sep-2024

(Page): 7 of 22

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

(Be) (Beryllium (Be)) (CASNo.: 7440-41-7)	US EPA 3052: 1996 (With reference to US EPA 3052: 1996, analysis was performed by ICP- OES.)	mg/kg	2	n.d.	n.d.	-

 $(Unless\ o\ therwise\ stated\ ,\ the\ decision\ rule\ for\ conformity\ reporting\ is\ based\ on\ Binary\ Statement\ for\ Simple\ Acceptance\ Rule\ (w=0)\ stated\ in\ ILAC-G8:09/2019.$ According to this rule, the judgement of conformity is based on the comparing test results with limits.)



(No.): ETR24900322 (Date): 13-Sep-2024 (Page): 8 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	1 (Category 1)	2 (Cat	egory 2)	3 (Cat	egory 3)
(Parameter)	(30) 2009/48/EC 3 (Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3	are not in Category intended or foreses skin contact (> 30 short-term repetition the skin)	eable long-term seconds) or	1 2 ()(Mat covered by Catego intended or foreset term skin contact (30 erials not ry 1 or 2, with eable short-
	years of age with intended long-term skin contact (> 30 seconds))	a. 14 (Use by children under 14)	b. (Other consumer products)	a. 14 (Use by children under 14)	b. (Other consumer products)
Naphthalene	< 1	< 2		< 1	0
Phenanthrene					
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum
Fluoranthene	< 1 Suili	< 5 Suiii	< 10 Sui i	< 20 Suiii	< 50 Suiii
Pyrene					
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1
15 PAH (Sum of 15 PAH)	< 1	< 5	< 10	< 20	< 50

(Unit) mg/kg



(Date): 13-Sep-2024

(Page): 9 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFAS	PFAS		PFAS		
			PFAS		PFAS
	(PFAS		PFAS)

(The quantitative technology of PFAS is to analyze the specific structure of PFAS substances. However, PFAS acid and its salts with the same carbon number group have the same specific structure that can be identified. The tested results of the analyzed specific structure cannot be distinguished to identify the contribution from PFAS acid or its salts. Therefore, the tested results display the sum of concentrations of PFAS acids and its salts with the same carbon number group. The concentration of PFAS substances in the below table have been included in the tested results, please refer to the table for relevant information: (The listed PFAS substances are examples only, it do not include all PFAS salts with the same carbon number group.))

arriber group.))		
	(Perfluorooctane sulfonates) (PFOS)	1763-23-1
	(PFOS-K)	2795-39-3
	Potassium perfluorooctanesulfonate (PFOS-K)	
	(PFO S-Li)	29457-72-5
	Perfluorooctanesulfonic acid, lithium salt (PFOS-Li)	
	(PFOS-NH ₄)	29081-56-9
	Perfluorooctanesulfonic acid, ammonium salt	
	(PFOS-NH ₄)	
	(PFO S-N H (O H) ₂)	70225-14-8
	Perfluorooctane sulfonate diethanolamine salt	
	(PFOS-NH(OH) ₂)	
PFOS, &	(PFO S-N (C ₂ H ₅) ₄)	56773-42-3
(PFOS, its salts & derivatives)	Perfluorooctanesulfonic acid,tetraethylammonium salt	
	(PFOS-N(C ₂ H ₅) ₄)	
	(PFOS-DDA)	251099-16-8
	N-decyl-N,N-dimethyldecan-1-aminium	
	1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctane-	
	1-sulfonate (PFOS-DDA)	
	(PFOS-N(C ₄ H ₉) ₄)	111873-33-7
	TetrabutylAmmonium perfluorooctanesulfonate	
	$(PFOS-N(C_4H_9)_4)$	
	(POSF)	307-35-7
	Perfluorooctane sulfonyl fluoride (POSF)	



(Date): 13-Sep-2024

(Page): 10 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(PFOS-Mg) Perfluorooctanesulfonic acid, magnesium salt (PFOS-Mg)	91036-71-4
	(PFO S-N a) Perfluorooctanesulfonic acid, sodium salt (PFOS-Na)	4021-47-0
	Piperidine 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluorooctanesulfonate	71463-74-6
	Perfluorooctanesulfonate (anion)	45298-90-6
	$\begin{array}{c} N,N- & (1:1) \ (PFOS-N \ (C_2H_5)_3) \\ 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-\\ heptadecafluoro-, compd. with N,N-diethylethanamine \\ (1:1) \ (PFOS-N(C_2H_5)_3) \end{array}$	54439-46-2
PFOS, & (PFOS, its salts & derivatives)	N,N,N1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,81- (1:1) (PFO S-N (CH ₃) ₄) Methanaminium, N,N,N-trimethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(CH ₃) ₄)	56773-44-5
	1- N,N,N, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- -1 - (1:1) (PFOS-N (C ₃ H ₇) ₃ (C ₅ H ₁₁)) 1-Pentanaminium, N,N,N-tripropyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C ₃ H ₇) ₃ (C ₅ H ₁₁))	56773-56-9
	1- N,NN 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,81- (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃)) 1-Butanaminium, N,N-dibutyl-N-methyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1) (PFOS-N(C ₄ H ₉) ₃ (CH ₃))	124472-68-0
	[4-(1,1-)]- 1,1,2,2,3,3,4,4,5,5,6,6,7,7 ,8,8,81- (1:1) lodonium, bis[4-(1,1-dimethylethyl)phenyl]-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1-octanesulfonate (1:1)	213740-80-8



(Date): 13-Sep-2024

(Page): 11 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	(2,4,6-)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- - 1- (1:1) Sulfonium, diphenyl(2,4,6-trimethylphenyl)-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	258341-99-0
	1 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- -1 - (1:1) Pyridinium, 1-hexadecyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	334529-63-4
	1- N,N,N 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- -1- (1:1) 1-Decanaminium, N,N,N-triethyl-, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-1- octanesulfonate (1:1)	773895-92-4
PFOS, & (PFOS, its salts & derivatives)	$(PFOS-P(C_4H_9)_4))$ Tetrabutylphosphonium perfluorooctane sulfonate (PFOS-P(C_4H_9)_4))	2185049-59-4
	$\begin{tabular}{ll} (PFOS-C_4H_{11}N) \\ Perfluorooctanesulfonic acid diethylamine salt \\ (PFOS-C_4H_{11}N) \\ \end{tabular}$	2205029-08-7
	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	1203998-97-3
	1- 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8,1,1' - (PFOSAN) 1-Octanesulfonic acid, 1,1,2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-heptadecafluoro-, 1,1'-anhydride (PFOSAN)	423-92-7



(Date): 13-Sep-2024

(Page): 12 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

	T	
	(5.5)	
	(Perfluorooctanoic acid) (PFOA)	335-67-1
	(PFOA-Na) Sodium perfluorooctanoate (PFOA-Na)	335-95-5
	(PFOA-K) Potassium perfluorooctanoate (PFOA-K)	2395-00-8
	(PFOA-Ag) Silver perfluorooctanote (PFOA-Ag)	335-93-3
	(PFOA-F) Perfluorooctanoyl fluoride (PFOA-F)	335-66-0
	(APFO) Ammonium pentadecafluorooctanoate (APFO)	3825-26-1
	(PFOA-Li) Lithium perfluorooctanoate (PFOA-Li)	17125-58-5
	(PFOA-Co) Cobalt perfluorooctanoate (PFOA-Co)	35965-01-6
PFOA, &	(PFOA-Cs) Cesium perfluorooctanoate (PFOA-Cs)	17125-60-9
(PFOA, its salts & derivatives)	(PFOA-Cr(3 ⁺)) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluoro-, chromium(3+) (PFOA-Cr(3 ⁺))	68141-02-6
	- (2:1) PFOA-NH(C₄H₁₀N) Pentadecafluorooctanoic acidpiperazine (2/1)PFOA-NH(C₄H₁₀N)	423-52-9
	Pentadecafluorooctanoate (anion)	45285-51-6
	Perfluorooctanoic Anhydride	33496-48-9
	N,N,N, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- (1:1) Ethanaminium, N,N,N-triethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	98241-25-9
	Tetramethylammoniumperfluoroctanoat	32609-65-7
	тепатнеттујантнопштрентиогостаноат	



(Date): 13-Sep-2024

(Page): 13 of 22

(EVERLIGHT ELECTRONICS CO., LTD.) 6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

PFOA, & (PFOA, its salts & derivatives)	1- N,N,N, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- (1:1) 1-Propanaminium, N,N,N-tripropyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1)	277749-00-5
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- (1:1:2) (PFOA-K(H ₂ O) ₂) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluoro-, potassium salt, hydrate (1:1:2) (PFOA-K(H ₂ O) ₂)	98065-31-7
	2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- (1:1) (PFOA-C ₂ H ₇ N) Octanoic acid, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- pentadecafluoro-, compd. with ethanamine (1:1) (PFOA-C ₂ H ₇ N)	1376936-03-6
	$(1:1) \ (9CI) \ (PFOA-C_5H_5N)$ Octanoic acid, pentadecafluoro-, compd. with pyridine $(1:1) \ (9CI) \ (PFOA-C_5H_5N)$	95658-47-2
	-1- (1:1) (PFOA-C ₁₀ H ₁₄ N ₂) Pentadecafluorooctanoic acid- 1-phenylpiperazine(1:1) (PFOA-C ₁₀ H ₁₄ N ₂)	1514-68-7
	1- N,N,N 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8- (1:1) (PFOA - C ₁₁ H ₂₆ N) 1-Octanaminium, N,N,N-trimethyl-, 2,2,3,3,4,4,5,5,6,6,7,7,8,8,8-pentadecafluorooctanoate (1:1) (PFOA- C ₁₁ H ₂₆ N)	927835-01-6




(Date): 13-Sep-2024

(Page): 14 of 22

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

These samples were dissolved totally by pre-conditioning method according to below flow chart. Cr^{6+} test method excluded





(Date): 13-Sep-2024

(Page): 15 of 22


(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



(Date): 13-Sep-2024

(Page): 16 of 22

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 13-Sep-2024

(Page): 17 of 22

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 13-Sep-2024

(Page): 18 of 22

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 13-Sep-2024

(Page): 19 of 22

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 13-Sep-2024

(Page): 20 of 22

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)






(Date): 13-Sep-2024

(Page): 21 of 22

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)

These samples were dissolved totally by pre-conditioning method according to below flow chart.

/Reference method US EPA 3051A US EPA 3052



* US EPA 3051A

/ US EPA 3051A method does not add HF.




(Date): 13-Sep-2024

(Page): 22 of 22

(EVERLIGHT ELECTRONICS CO., LTD.)
6-8 (NO. 6-8, ZHONGHUA RD., SHULIN DIST., NEW TAIPEI CITY 23860, TAIWAN)



ETR24900322 NO.2



(End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

新北市五股區新北產業園區五權七路 25 號 t+886(02)2299 3939 f+886(02)2299 3237 25, Wu Chyuan 7th Road, New Taipei Industrial Park, Wu Ku District, New Taipei City, Taiwan